

# HP 12c Financial Calculator - Net Present Value

- [Cash flow and NPV calculations](#)
- [Cash flow diagrams](#)
- [The HP 12c cash flow approach](#)
- [Practice solving NPV problems](#)
- [How to modify cash flow entries](#)

## Cash flow and NPV calculations

Cash flow analysis is an extension of the basic TVM concepts applied to compound interest problems when payments occur in regular periods and do not have the same value. Any financial investment can be represented as an initial investment of money and a series of cash flows that occur in regular periods of time. Each flow of money can be positive (received) or negative (paid out) and considered as a cash flow. Common cash flow problems usually involve the calculation of the Internal Rate of Return (IRR) or the Net Present Value (NPV).

The NPV expresses the amount of money resulting from the summation of the initial investment ( $CF_0$ ) and the present value of each anticipated cash flow ( $CF_j$ ) calculated to the time of the initial investment. The IRR is the discounted rate applied to all future cash flows that cause  $NPV = 0$ .

The expression that calculates the Net Present Value is:


**Figure : Expression for calculating the Net Present Value**

$$NPV = CF_0 + \frac{CF_1}{(1+i)^1} + \frac{CF_2}{(1+i)^2} + \dots + \frac{CF_j}{(1+i)^j}$$

## Cash flow diagrams

The cash flow diagram in Figure 1 illustrates one of the many possible situations that can be handled by the HP 12c.


**Figure : Cash flow diagram**



## The HP 12c cash flow approach

In the HP 12c each cash flow amount is stored in its corresponding register in memory. For each cash flow amount there is a related register to store the number of consecutive occurrences of this amount. This approach is shown below:



Figure : Different cash flow amounts can be stored in its corresponding register



The HP 12c memory organization allows up to 20 different cash flow amounts plus the initial investment to be stored and handled according to the diagram in Figure 2. If any cash flow amount repeats consecutively, then it can be stored as a grouped cash flow  $CF_j$  and its corresponding  $N_j$  holds the number of occurrences, up to 99. TVM register n is used as an index to control CF operations.

The keys to enter cash flow data are:




Keystroke	Description
$\boxed{g} \boxed{CF_0}$	Stores the number in the display in $R_0$ and sets 'n' to zero.

Keystroke	Description
	Adds 1 unit to current 'n' contents (j) and then stores the number in the display in R <sub>j</sub> .
	Stores the number in the display in N <sub>j</sub> ; 'n' contents (j) are not changed.

**NOTE:**

The number in the display must be a positive integer from 1 to 99,

otherwise  returns  to the display and no operation is performed.


If the last available register has already been used,  adds 1 unit to current 'n' contents and stores the number in the display in TVM register FV. Any attempt to add a cash flow amount with  after FV has already been used or when 'n' contents refer to a register that is not available causes  to be shown in the display and no operation is performed.

## Practice solving NPV problems

### Example 1

The cash flow diagram below represents a possible investment and you were chosen to determine if it is feasible. The success of this investment dictates your future in the company, so the analysis must be precise and error free. What is the correct keystroke sequence to fill the HP 12c registers with this data?

Figure : Values entered in the cash flow diagram



## Solution


It is not necessary to clear all registers to start cash flow analysis because only the registers updated with cash flow data are used.

Keystroke	Display
<div style="border: 1px solid black; padding: 2px; display: inline-block;">1</div> <div style="border: 1px solid black; padding: 2px; display: inline-block;">3</div> <div style="border: 1px solid black; padding: 2px; display: inline-block;">0</div> <div style="border: 1px solid black; padding: 2px; display: inline-block;">0</div> <div style="border: 1px solid black; padding: 2px; display: inline-block;">0</div> <div style="border: 1px solid black; padding: 2px; display: inline-block;">0</div> <div style="border: 1px solid black; padding: 2px; display: inline-block;">CHS</div> <div style="border: 1px solid black; padding: 2px; display: inline-block;">g</div> <div style="border: 1px solid black; padding: 2px; display: inline-block;">CF<sub>0</sub></div>	Figure : Entering the first set of values <div style="border: 1px solid black; padding: 5px; text-align: center; background-color: #f0f0f0;">             - 10,000.00           </div>
<div style="border: 1px solid black; padding: 2px; display: inline-block;">7</div> <div style="border: 1px solid black; padding: 2px; display: inline-block;">0</div> <div style="border: 1px solid black; padding: 2px; display: inline-block;">0</div> <div style="border: 1px solid black; padding: 2px; display: inline-block;">0</div> <div style="border: 1px solid black; padding: 2px; display: inline-block;">g</div> <div style="border: 1px solid black; padding: 2px; display: inline-block;">CF<sub>1</sub></div>	
<div style="border: 1px solid black; padding: 2px; display: inline-block;">1</div> <div style="border: 1px solid black; padding: 2px; display: inline-block;">0</div> <div style="border: 1px solid black; padding: 2px; display: inline-block;">0</div> <div style="border: 1px solid black; padding: 2px; display: inline-block;">0</div> <div style="border: 1px solid black; padding: 2px; display: inline-block;">0</div> <div style="border: 1px solid black; padding: 2px; display: inline-block;">CHS</div> <div style="border: 1px solid black; padding: 2px; display: inline-block;">g</div> <div style="border: 1px solid black; padding: 2px; display: inline-block;">CF<sub>1</sub></div>	

The next cash flow amount occurs three times in a sequence, so it can be entered as a grouped cash flow.

Keystroke	Display
<div style="border: 1px solid black; padding: 2px; display: inline-block;">2</div> <div style="border: 1px solid black; padding: 2px; display: inline-block;">0</div> <div style="border: 1px solid black; padding: 2px; display: inline-block;">0</div> <div style="border: 1px solid black; padding: 2px; display: inline-block;">0</div> <div style="border: 1px solid black; padding: 2px; display: inline-block;">0</div> <div style="border: 1px solid black; padding: 2px; display: inline-block;">g</div> <div style="border: 1px solid black; padding: 2px; display: inline-block;">CF<sub>1</sub></div>	Figure : Entering the next set of values <div style="border: 1px solid black; padding: 5px; text-align: center; background-color: #f0f0f0;">             3.00           </div>
<div style="border: 1px solid black; padding: 2px; display: inline-block;">3</div> <div style="border: 1px solid black; padding: 2px; display: inline-block;">g</div> <div style="border: 1px solid black; padding: 2px; display: inline-block;">N<sub>i</sub></div>	

The remaining data is entered with the following keystroke sequence:

Keystroke	Display
<div style="display: flex; justify-content: space-around; border: 1px solid black; padding: 2px;">1</div> <div style="display: flex; justify-content: space-around; border: 1px solid black; padding: 2px;">2</div> <div style="display: flex; justify-content: space-around; border: 1px solid black; padding: 2px;">0</div> <div style="display: flex; justify-content: space-around; border: 1px solid black; padding: 2px;">0</div> <div style="display: flex; justify-content: space-around; border: 1px solid black; padding: 2px;">0</div> <div style="display: flex; justify-content: space-around; border: 1px solid black; padding: 2px;">g</div> <div style="display: flex; justify-content: space-around; border: 1px solid black; padding: 2px;">CFj</div>	Figure : Entering the remaining set of values 
<div style="display: flex; justify-content: space-around; border: 1px solid black; padding: 2px;">8</div> <div style="display: flex; justify-content: space-around; border: 1px solid black; padding: 2px;">0</div> <div style="display: flex; justify-content: space-around; border: 1px solid black; padding: 2px;">0</div> <div style="display: flex; justify-content: space-around; border: 1px solid black; padding: 2px;">0</div> <div style="display: flex; justify-content: space-around; border: 1px solid black; padding: 2px;">CHS</div> <div style="display: flex; justify-content: space-around; border: 1px solid black; padding: 2px;">g</div> <div style="display: flex; justify-content: space-around; border: 1px solid black; padding: 2px;">CFj</div>	
<div style="display: flex; justify-content: space-around; border: 1px solid black; padding: 2px;">1</div> <div style="display: flex; justify-content: space-around; border: 1px solid black; padding: 2px;">7</div> <div style="display: flex; justify-content: space-around; border: 1px solid black; padding: 2px;">8</div> <div style="display: flex; justify-content: space-around; border: 1px solid black; padding: 2px;">5</div> <div style="display: flex; justify-content: space-around; border: 1px solid black; padding: 2px;">0</div> <div style="display: flex; justify-content: space-around; border: 1px solid black; padding: 2px;">0</div> <div style="display: flex; justify-content: space-around; border: 1px solid black; padding: 2px;">g</div> <div style="display: flex; justify-content: space-around; border: 1px solid black; padding: 2px;">CFj</div>	

## Answer


The keystrokes presented above indicate the correct entries.

## Example 2


The cash flow diagram has all of its information used to compose the cash flow data in the HP 12c memory. How can the entries be checked to ensure they are correct?

## Solution

Now that all data is entered, checking for its correctness is possible in two ways. The alternative way is the random check through the use of the **RCL** key. The procedure for this checking is as follows:

Keystroke	Display
<div style="display: flex; justify-content: space-around; border: 1px solid black; padding: 2px;">RCL</div> <div style="display: flex; justify-content: space-around; border: 1px solid black; padding: 2px;">n</div>	Figure : Displaying the number of the last register 

This is the number of the last register used to store the cash flow data.

Keystroke	Display
<div style="display: flex; justify-content: space-around; border: 1px solid black; padding: 2px;">RCL</div> <div style="display: flex; justify-content: space-around; border: 1px solid black; padding: 2px;">6</div>	Figure : Displaying the amount of CF <sub>6</sub> 

This is the amount of  $CF_6$ . Now check  $CF_3$  and verify  $N_3$  as well.

Keystroke	Display
RCL 3	Figure : Checking the $CF_3$ value 20,000.00

This is  $CF_3$  contents. To randomly check for  $N_j$  contents, n register contents must be set to indicate which  $N_j$  will be recalled.

Keystroke	Display
3 n RCL g $N_j$	Figure : Checking for $N_j$ contents 3.00

Now check  $CF_2$  and  $CF_0$ .

Keystroke	Display
RCL 2	Figure : Checking the contents of $CF_2$ - 10,000.00
RCL 0	Figure : Checking the contents of $CF_0$ - 130,000.00

Recall 'n' contents to the display:

Keystroke	Display
RCL n	Figure : Recalling n contents 3.00

## Answer

The entries are correct.

## Example 3

The investment is considered attractive if the calculated net present value is positive for a given interest rate. Now that all data is stored and checked, calculate the NPV for a given interest rate of 8%.

## Solution

Prior to calculating either IRR or NPV at this point, n must be restored to its original value for the problem, if it has been changed, and the desired interest rate (8%) must be entered:

Keystroke	Display
6 n 8 i f NPV	Figure : Calculating the Net Present Value 11,429.11

## Answer

Yes, the investment is attractive based on a net present value of \$11,429.11 for an interest rate of 8%.

## How to modify cash flow entries



If it happens that a cash flow entry was wrongly entered, modifying its amount is not difficult. There are two ways to correct entries.

## Example 4



Update the amount of  $CF_2$  to \$-9,500.00 and compute the new NPV after this change.



### Solution 1

Type in the correct amount and store it in  $R_2$ :

Keystroke	Display
	Figure : Storing the amount in $R_2$ 

### Solution 2

Set n register to (j-1), type in the correct amount, press  , then restore n prior to compute NPV:

Keystroke	Display
	Figure : Calculating the Net Present Value 


To modify a wrongly entered  $N_j$ , it is necessary to change the value stored in register n.

## Example 5

Now change both  $N_3$  and  $N_4$  to 2 and calculate NPV again. The cash flow diagram now looks like this:

Figure : Values entered in the cash flow diagram





### Solution

For each correction, set n to match j, type in the correct N<sub>j</sub> and press **g** **N<sub>j</sub>**. After all corrections, set n to its original value and press **f** **NPV**.

Keystroke	Display
<b>3</b> <b>n</b> <b>2</b> <b>g</b> <b>N<sub>j</sub></b> <b>4</b> <b>n</b> <b>2</b> <b>g</b> <b>N<sub>j</sub></b> <b>6</b> <b>n</b> <b>f</b> <b>NPV</b>	Figure : Calculating the Net Present Value <div style="border: 1px solid black; padding: 5px; display: inline-block;">6,413.11</div>

### Answer

The newly computed NPV is \$ 6,413.11.